

# SAFETY DATA SHEET



LINPAR® 1416-V Normal Paraffin KerryLiquid®

CM ALMY

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Trade name** KerryLiquid  
**Synonyms** Mixture of Tetradecane, Pentadecane and Hexadecane  
**Use** Church Candle Fuel  
**Company** CM Almy

**Address** 28 Kaysal Ct, Armonk, NY 10504

**Telephone** CHEMTREC North America Transportation Emergency (24-hr) (800) 424-9300  
CHEMTREC World Wide (703) 527-3887  
Other Emergencies (24-hr) (337) 494-5142  
SDS and Product Information (8:00am-4:30pm CST) (281) 588-3491  
Health and Safety Information (7:30am-4:00pm CST) (281) 588-3492

**E-mail address** SasolElectronicSDS@us.sasol.com

## SECTION 2 HAZARDS IDENTIFICATION

**OSHA/GHS Hazards** Aspiration hazard Category 1

### LABEL ELEMENTS

**Hazard symbols**



**Signal word** Danger

**Hazard statements** H304 May be fatal if swallowed and enters airways.

### Precautionary statements

**Response** P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.

**Storage** P405 Store locked up.

**Disposal** P501 Dispose of contents/ container to an approved waste disposal plant.



---

**SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

---

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
C14-16 Normal Paraffins	90622-46-1	100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

---

**SECTION 4 FIRST AID MEASURES**

---

- Eye contact** Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist.
- Skin contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
- Ingestion** Do NOT induce vomiting. Consult a physician.

---

**SECTION 5 FIREFIGHTING MEASURES**

---

**FLAMMABLE PROPERTIES**

**Fire/explosion** NFPA Class IIIB combustible liquid.

**Suitable extinguishing media** Water spray, Foam, Dry chemical, Carbon dioxide (CO<sub>2</sub>)

**Protective equipment and precautions for firefighters** In the event of fire, wear self-contained breathing apparatus.

**Further information** Keep containers and surroundings cool with water spray.

---

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

---

**Methods and materials for containment and cleaning up** Evacuate the area and eliminate all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).



---

**SECTION 7 HANDLING AND STORAGE**

---

**Safe handling advice** Ensure all equipment is electrically grounded before beginning transfer operations.

**Storage/Transport pressure** Ambient

**Load/Unload temperature** Ambient, above freezing point. (Product will freeze at 4°C)

---

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**ENGINEERING MEASURES**

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines).

**PERSONAL PROTECTIVE EQUIPMENT**

**Eyes** Wear as appropriate: Goggles, Face-shield

**Skin** Wear suitable protective clothing, gloves and eye/face protection.

**Inhalation** Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

**EXPOSURE GUIDELINES**

Contains no substances with occupational exposure limit values., Sasol Chemicals (USA) LLC recommends an internal limit of 5 mg/m<sup>3</sup> (8-hour TWA) for exposure to mists of this product.

---

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

---

**Appearance** liquid;

**Colour** water-white, oily

**Form** liquid

**Odour** Hydrocarbons

**Odour Threshold** No data available

**Flash point** 118 °C, 244 °F; PM;

**Flammability** Upper explosion limit: 4.7 %(V)

Lower explosion limit: 0.5 %(V)

# SAFETY DATA SHEET



LINPAR® 1416-V Normal Paraffin **KerryLiquid®**

CM ALMY

---

<b>Boiling point/boiling range</b>	248 - 284 °C, 478 - 544 °F; ASTM D-86;
<b>Melting point/range</b>	4 °C, 39 °F; (Freeze pt.)
<b>Auto-ignition temperature</b>	204 °C, 400 °F;
<b>Decomposition temperature</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Vapour pressure</b>	< 0.1 mm Hg @ 20 °C, 68 °F; API Calculation;
<b>Vapour density</b>	7.1
<b>Density</b>	No data available
<b>Specific gravity</b>	0.768 @16 °C, 61 °F;
<b>Water solubility</b>	negligible
<b>Viscosity</b>	2.3 - 2.5 cSt @ 40 °C, 104 °F;
<b>pH</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available

---

## SECTION 10 STABILITY AND REACTIVITY

---

<b>Reactivity</b>	Stable under recommended storage conditions.
<b>Chemical stability</b>	No decomposition if stored and applied as directed.
<b>Conditions to avoid</b>	Keep away from heat and sources of ignition.
<b>Hazardous decomposition products</b>	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.
<b>Materials to avoid</b>	Oxidizing agents
<b>Hazardous polymerisation</b>	None known.


**SECTION 11 TOXICOLOGICAL INFORMATION**

<b>Acute dermal toxicity</b>	LD50 Rabbit: > 2,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 Rat (4 hours): > 5.8 mg/l
<b>Acute oral toxicity</b>	LD50 Rat: > 2,000 mg/kg
<b>Skin corrosion/irritation</b>	(Rabbit) Repeated exposure may cause skin dryness or cracking.
<b>Serious eye damage/eye irritation</b>	Primary irritation (Rabbit): 1 hours; 5.7 (Max. score is 110.) (unwashed eyes), Not irritating
<b>Respiratory or skin sensitisation</b>	No data available
<b>Germ cell mutagenicity</b>	<b>Genotoxicity in vitro:</b> No data available  <b>Genotoxicity in vivo:</b> No data available  <b>Assessment Mutagenicity:</b> No data available
<b>Reproductive toxicity</b>	<b>Reproductive toxicity:</b> No data available  <b>Assessment Reproductive toxicity:</b> No data available  <b>Teratogenicity:</b> No data available  <b>Assessment teratogenicity:</b> No data available
<b>STOT - single exposure</b>	No data available
<b>STOT - repeated exposure</b>	No data available
<b>Aspiration toxicity</b>	May be fatal if swallowed and enters airways.



**Carcinogenicity** **Assessment carcinogenicity:**  
Contains no ingredient listed as a carcinogen

---

## SECTION 12 ECOLOGICAL INFORMATION

---

<b>Aquatic toxicity</b>	Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.
<b>Toxicity to fish</b>	LL50 (Pimephales promelas (fathead minnow)) 96 hours In the range of water solubility not toxic under test conditions.
<b>Toxicity to aquatic invertebrates</b>	EL50 (Ceriodaphnia dubia (water flea)) 192 hours In the range of water solubility not toxic under test conditions.
<b>Toxicity to algae</b>	No data available
<b>Chronic toxicity to fish</b>	No data available
<b>Chronic toxicity to aquatic invertebrates</b>	No data available
<b>Biodegradation</b>	Readily biodegradable.  OECD Test Guideline 301F (28 d): 82 % Test substance: LINPAR 1417
<b>Bioaccumulative potential</b>	No data available
<b>Mobility in soil</b>	No data available
<b>Other adverse effects</b>	No data available

---

## SECTION 13 DISPOSAL CONSIDERATIONS

---

<b>Waste Code</b>	Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.
<b>Disposal methods</b>	Dispose of only in accordance with local, state, and federal regulations.

# SAFETY DATA SHEET



LINPAR® 1416-V Normal Paraffin *kerryLiquid*®

CM ALMY

**Empty containers.** Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

## SECTION 14 TRANSPORT INFORMATION

**DOT** not regulated

**IATA** not regulated

**IMDG** not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

**Remarks** No data available

## SECTION 15 REGULATORY INFORMATION

### U.S. FEDERAL REGULATIONS

#### TSCA Inventory Listing

Components

Alkanes, C14-16

CAS-No.

90622-46-1

#### SARA 302 Status

Components

CAS-No.

Weight percent

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Classification

Aspiration hazard

#### SARA 313 Chemical

Components

CAS-No.

Weight percent

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Components

Reportable Quantity

Weight percent

none

# SAFETY DATA SHEET



LINPAR® 1416-V Normal Paraffin **KerryLiquid®**

**CM ALMY**

## INTERNATIONAL REGULATIONS

### **WHMIS Classification**

Aspiration hazard Category 1

### **European Union**

Classification according to Regulation (EU) 1272/2008.

Aspiration hazard, Category 1  
Repeated exposure may cause skin dryness or cracking.

<b>Australia. Inventory of Chemical Substances (AICS)</b>	Listed
<b>Japan. Inventory of Existing and New Chemical Substances (ENCS)</b>	Listed
<b>Japan. ISHL - Inventory of Chemical Substances</b>	Listed
<b>Canada. Domestic Substances List (DSL) Inventory</b> This product or a component is the subject of a Significant New Activity (SNAc) notice under CEPA.	Listed
<b>Canada. Non-Domestic Substance Listing (NDSL)</b>	Not listed
<b>Philippines. Inventory of Chemicals / Chemical Substances (PICCS)</b>	Listed
<b>Korea. Existing Chemicals Inventory (KECI)</b>	Listed
<b>China. Inventory of Existing Chemical Substances (IECSC)</b>	Listed
<b>Mexico</b>	Not listed
<b>New Zealand. Inventory of Chemical Substances</b>	Listed
<b>Switzerland</b>	Listed
<b>Taiwan. National Existing Chemical Inventory (NECI)</b>	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

## STATE REGULATIONS

**California Prop. 65**  
**Components**  
none

**CAS-No.**

## **SECTION 16 OTHER INFORMATION**



# SAFETY DATA SHEET



LINPAR® 1416-V Normal Paraffin *kerryLiquid*®

CM ALMY

## HAZARD RATINGS

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
<b>HMIS®</b>	1	1	0
<b>NFPA</b>	1	1	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.